



Effectiveness of Systems Engineering (SE) Tailored for the Science & Technology (S&T) Environment: Improvement of USAF Airdrop Accuracy

14th Annual NDIA Systems Engineering Conference
24-27 October 2011



Carol Ventresca
Carol@SynGenics.com

| Report Documentation Page | | | Form Approved OMB No. 0704-0188 | | |
|--|------------------------------------|-------------------------------------|---|---|---------------------------------|
| Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. | | | | | |
| 1. REPORT DATE OCT 2011 | | 2. REPORT TYPE | | 3. DATES COVERED 00-00-2011 to 00-00-2011 | |
| 4. TITLE AND SUBTITLE Effectiveness Of Systems Engineering (SE) Tailored For The Science & Technology (S&T) Environment: Improvement Of USAF Airdrop Accuracy | | | 5a. CONTRACT NUMBER | | |
| | | | 5b. GRANT NUMBER | | |
| | | | 5c. PROGRAM ELEMENT NUMBER | | |
| 6. AUTHOR(S) | | | 5d. PROJECT NUMBER | | |
| | | | 5e. TASK NUMBER | | |
| | | | 5f. WORK UNIT NUMBER | | |
| 7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) SynGenics Corporation, San Antonio, TX, 78248- | | | 8. PERFORMING ORGANIZATION REPORT NUMBER | | |
| 9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) | | | 10. SPONSOR/MONITOR'S ACRONYM(S) | | |
| | | | 11. SPONSOR/MONITOR'S REPORT NUMBER(S) | | |
| 12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited | | | | | |
| 13. SUPPLEMENTARY NOTES Presented at the National Guard Bureau Joint C4I Conference, Nashville, Tennessee, 6-9 Dec 2010, Government or Federal Purpose Rights License | | | | | |
| 14. ABSTRACT | | | | | |
| 15. SUBJECT TERMS | | | | | |
| 16. SECURITY CLASSIFICATION OF: | | | 17. LIMITATION OF ABSTRACT Same as Report (SAR) | 18. NUMBER OF PAGES 35 | 19a. NAME OF RESPONSIBLE PERSON |
| a. REPORT unclassified | b. ABSTRACT unclassified | c. THIS PAGE unclassified | | | |



Coauthors



- ☐ **Dr. Keith Bowman, AFRL, Precision Airdrop (PAD)
Program Manager**
- ☐ **Ms. Carol Ventresca, SynGenics Corporation**
- ☐ **Mr. Robert McCarty, SynGenics Corporation**
- ☐ **Ms. Stephanie Globus, Syngenics Corporation**



Background




- ☐ **USAF Aerial Delivery Operations Increasing Dramatically**
- ☐ **Drove Need to Improve Accuracy for**
 - **Critical Resupply**
 - **Humanitarian Aid**
- ☐ **AMC Requested AFRL Investigate Technology Solutions**
 - **Aid Development of Systems to Achieve AMC Need**
 - **Many Complexities Drove Need for Systems Engineering**
 - **S&T SE Process Drove FY12 AFRL Technology Investment**
 - **Multiple Technology Projects Planned in 2011**



Air Force Need




“AMC has a need to provide aerial delivery of a broad range of assets with superb accuracy from extended airdrop offset distances and higher altitudes. Single pass capability solutions should be considered...” Gen Raymond Johns, Commander AMC, 2011





Presentation Outline



- 
- ☐ Entrance Criteria for PAD
 - ☐ Integrated Product Team (IPT)
 - ☐ S&T SE Process Steps
 - ☐ Initial Project S&T Development Strategy
 - ☐ User Understanding of Desirements
 - ☐ Products from S&T SE Process
 - ☐ Categories of Candidate Technology Options
 - ☐ Techniques to Score Solution Options
 - ☐ Methods to Combine Options into Alternatives
 - ☐ Methods to Score Alternatives
 - ☐ Findings from Application of S&T SE Process
 - ☐ Critical Roles Played by S&T SE in Pre Milestone A



Entrance Criteria for Precision Airdrop




- ☐ Documented/Prioritized MAJCOM Capability Gap
- ☐ Commissioned Via AF S&T Governance Structure
- ☐ Linked to Service Core Function Master Plan
- ☐ Initial S&T Development Strategy Initiated
- ☐ Between a Leading Development Planning Concept and a Prototype
- ☐ Assigned to Lead Center for Transition
- ☐ MAJCOM Transition Manager Identified
- ☐ Defined S&T Baseline/Exit Criteria
- ☐ S&T Activity Ideally Completed During Current FYDP



Presentation Outline



- ☐ Entrance Criteria for PAD
-  ☐ Integrated Product Team (IPT)
- ☐ S&T SE Process Steps
- ☐ Initial Project S&T Development Strategy
- ☐ User Understanding of Desirements
- ☐ Products from S&T SE Process
- ☐ Categories of Candidate Technology Options
- ☐ Techniques to Score Solution Options
- ☐ Methods to Combine Options into Alternatives
- ☐ Methods to Score Alternatives
- ☐ Findings from Application of S&T SE Process
- ☐ Critical Roles Played by S&T SE in Pre Milestone A



Integrated Product Team




- ❑ **The Precision Airdrop (PAD) IPT**
 - **Air Force Research Laboratory (AFRL)**
 - **Air Mobility Command (AMC)**
 - **US Army NATICK**
 - **Electronic Systems Center (ESC)**
 - **Aeronautical Systems Center (ASC)**
 - **US Air Force Academy (USAFA)**




Presentation Outline



- ☐ Entrance Criteria for PAD
- ☐ Integrated Product Team (IPT)
-  ☐ **S&T SE Process Steps**
- ☐ Initial Project S&T Development Strategy
- ☐ User Understanding of Desirements
- ☐ Products from S&T SE Process
- ☐ Categories of Candidate Technology Options
- ☐ Techniques to Score Solution Options
- ☐ Methods to Combine Options into Alternatives
- ☐ Methods to Score Alternatives
- ☐ Findings from Application of S&T SE Process
- ☐ Critical Roles Played by S&T SE in Pre Milestone A



S&T SE Process




- **Develop Desirements and Metrics**
 - Solicit Input from All Stakeholders
 - Define Measurands, Desirability Functions, and Relative Importance
 - Repeat as Knowledge Advances
- **Generate Technology Alternatives and Conceptual Designs**
- **Perform Value Analysis to Evaluate Alternatives**
 - Evaluate Alternatives against Desirements
 - Compute Desirability and Risk for Each Concept
 - Explore Trade Space
 - Generate or Refine Alternative Approaches
 - Select Most Promising Approach
- **Deliver Results: Recommend Alternatives**



Presentation Outline




- ☐ Entrance Criteria for PAD
- ☐ Integrated Product Team (IPT)
- ☐ S&T SE Process Steps
-  ☐ Initial Project S&T Development Strategy
- ☐ User Understanding of Desirements
- ☐ Products from S&T SE Process
- ☐ Categories of Candidate Technology Options
- ☐ Techniques to Score Solution Options
- ☐ Methods to Combine Options into Alternatives
- ☐ Methods to Score Alternatives
- ☐ Findings from Application of S&T SE Process
- ☐ Critical Roles Played by S&T SE in Pre Milestone A



Initial Schedule

Schedule* for Systems Engineering (SE) Support to an AFRL Future Capability Concept Precision Airdrop (PAD) Program
Version 2.5 as of 12 Oct 10



Meetings supported by SynGenics and MacAulay-Brown
(Meetings 2-5 are 2-3 days.)

1. AFRL Core Team (incl. 3-4 SMEs) at Scott AFB with AMC and US Army to discuss an AFRL FCC for PAD and to agree on means of providing a "single voice" to AFRL for both services.
2. AFRL Core Team at WPAFB with AMC and Army Natick for 2 days of SynGenics-facilitated PAD *Requirements Development*
3. AFRL Core Team at Scott AFB with AMC and Army Natick for SynGenics-facilitated development of PAD *Exit Criteria*
4. AFRL Core Team at Scott AFB with AMC and Army Natick for SynGenics-facilitated *Development of Concepts/Alternatives*
5. AFRL Core Team at Scott AFB with AMC and Army Natick for SynGenics-facilitated *Analysis and Tradeoffs*



Products

1. Joint AMC / US Army PAD Requirements
2. Joint AMC / US Army PAD Exit Criteria
3. Full Set of Concepts/Alternatives (tech and operational)
4. Analysis and Tradeoffs vs AMC/Army PAD Desiresments
5. AFRL Flagship Capability Concept (FCC) Baseline for PAD

Legend: Complete Open


Notes:

- * This schedule will be maintained as a living document. SE Activities need to be iterative across 'swim lanes,' not serial.
- ** Possible System-of-Systems approach, building requirements at that level, and then backing off to focus on PAD
- *** AFRL Team will look beyond a single S&T solution; will address long-term ramifications regarding cost and schedule
- **** AFRL Team will start small, engage with SMEs, visibility for Directorate Chief Engineers, possibly include RB, RX, RY...



Presentation Outline



- ☐ Entrance Criteria for PAD
- ☐ Integrated Product Team (IPT)
- ☐ S&T SE Process Steps
- ☐ Initial Project S&T Development Strategy
-  ☐ User Understanding of Desirements
- ☐ Products from S&T SE Process
- ☐ Categories of Candidate Technology Options
- ☐ Techniques to Score Solution Options
- ☐ Methods to Combine Options into Alternatives
- ☐ Methods to Score Alternatives
- ☐ Findings from Application of S&T SE Process
- ☐ Critical Roles Played by S&T SE in Pre Milestone A



Precision Airdrop (PAD) Focus Areas




- ❑ ***Precision* was the Original Focus of the PAD Project**
- ❑ **AMC's Desire was for AFRL to Address Urgent Needs in**
 - **Critical Resupply**
 - **Humanitarian Airdrop**
- ❑ **These Urgent Needs Shaped the Definition of "Precision"**
 - **Precision was Viewed only as Impact Point Accuracy**
- ❑ **The PAD Project now Addresses Precision as**
 - **Single Pass**
 - **Dispersion Predictability and Tailorability**
 - **Situational Awareness of Bundles**
 - **Impact Point Accuracy**
 - **Predictability in the Event of Malfunction**

6 Desirements



Presentation Outline



- ☐ Entrance Criteria for PAD
- ☐ Integrated Product Team (IPT)
- ☐ S&T SE Process Steps
- ☐ Initial Project S&T Development Strategy
- ☐ User Understanding of Desirements
-  ☐ Products from S&T SE Process
- ☐ Categories of Candidate Technology Options
- ☐ Techniques to Score Solution Options
- ☐ Methods to Combine Options into Alternatives
- ☐ Methods to Score Alternatives
- ☐ Findings from Application of S&T SE Process
- ☐ Critical Roles Played by S&T SE in Pre Milestone A



Eight S&T SE Process Deliverables




- ☐ **Documented Criteria:** Includes “Exit Criteria”
- ☐ **Alternatives:** Potential Solution Concepts Captured, Defined, and Assessed Against all Criteria
- ☐ **Analysis:** a Mathematically Based Evaluation of Alternatives, Including Quantified Predictions of
 - Response Values Related to Criteria
 - Desirability, Uncertainty, and Risk
- ☐ **Sensitivity Analysis:** Reveals Highly Leveraged Parameters Through Exploitation of their Acceptable Ranges
- ☐ **Relationships:**
 - Between Factors and Responses
 - Among Desirements
- ☐ **Understanding:** the Process Demands that all Desirements be Satisfied and the Solution “Trade Space” be Understood
- ☐ **Worksheets and Scorecards:** Framework for Presentation of Results & for Revisiting Them when New Information Emerges
- ☐ **Consensus**




Presentation Outline



- ☐ Entrance Criteria for PAD
- ☐ Integrated Product Team (IPT)
- ☐ S&T SE Process Steps
- ☐ Initial Project S&T Development Strategy
- ☐ User Understanding of Desirements
- ☐ Products from S&T SE Process
-  ☐ Categories of Candidate Technology Options
- ☐ Techniques to Score Solution Options
- ☐ Methods to Combine Options into Alternatives
- ☐ Methods to Score Alternatives
- ☐ Findings from Application of S&T SE Process
- ☐ Critical Roles Played by S&T SE in Pre Milestone A



Functional Work Breakdown Structure (FBS)





Categories of Candidate Technology Options For FBS Elements



☐ Payload/Exit Improvements

***Current
Focus***

☐ Communication/Display Improvements

☐ Weather Data Acquisition Improvements

☐ Human Factors Mitigation


☐ UAV Integration

☐ Additional Studies



Presentation Outline



- ☐ Entrance Criteria for PAD
- ☐ Integrated Product Team (IPT)
- ☐ S&T SE Process Steps
- ☐ Initial Project S&T Development Strategy
- ☐ User Understanding of Desirements
- ☐ Products from S&T SE Process
- ☐ Categories of Candidate Technology Options
-  ☐ Techniques to Score Solution Options
- ☐ Methods to Combine Options into Alternatives
- ☐ Methods to Score Alternatives
- ☐ Findings from Application of S&T SE Process
- ☐ Critical Roles Played by S&T SE in Pre Milestone A



Scoring of Options Initial Assessment




| Des # | Desirement Name | Units | Current | | I-Skid | | I-SkidAdv | | I-Dun | | I-DunAdv | | I-Release | | Active Shaping | | ForceEx | | Air Bags | | | | | | | | | | | | |
|--|--|-------------|---------|------|--------|---|-----------|-------|-------|-------|----------|-------|-----------|-------|----------------|-------|---------|-------|----------|------|--|--|--|--|--|--|--|----|---|----|---|
| ExpectedWor/BsExpectedWor/BsExpectedWor/BsExpectedWor/BsExpectedWor/BsExpectedWor/BsExpectedWor/BsExpectedWor/BsExpectedWor/BsExpectedWor/Bs | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Category: A. Performance | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| P01 | Impact Point Accuracy | meters | 400 | 800 | 325 | 725 | 300 | 675 | 400 | 800 | 400 | 800 | 250 | 650 | 175 | 575 | 175 | 575 | 400 | 800 | | | | | | | | | | | |
| P02 | Predictability of Dispersion Pattern | meters | 200 | 400 | 162.5 | 362.5 | 150 | 337.5 | 200 | 400 | 200 | 400 | 125 | 325 | 87.5 | 287.5 | 87.5 | 287.5 | 200 | 400 | | | | | | | | | | | |
| P03 | Accuracy of CARP Execution | yards | 100 | 200 | 100 | 200 | 100 | 200 | 100 | 200 | 100 | 200 | 100 | 200 | 100 | 200 | 100 | 200 | 100 | 200 | | | | | | | | | | | |
| P04 | Predictability in the Event of Malfunction | Confidence | 90 | | 92 | | 92 | | 90 | | 90 | | 92 | | 95 | | 95 | | 90 | | | | | | | | | | | | |
| P05 | Platform Agnostic | Scale: 1-5 | 1 | | 5 | | 5 | | 5 | | 5 | | 1 | | 1 | | 1 | | 5 | | | | | | | | | | | | |
| P06 | Likelihood of Avoiding Collateral Damage | Probability | 90 | | 92 | | 94 | | 92 | | 94 | | 92 | | 95 | | 95 | | 90 | | | | | | | | | | | | |
| P07 | Communication Capability | Scale: 1-5 | 2 | 1 | 2 | Scoring of 36 options against 34 desirements completed 13 Dec | | | | | | | | | | | 2 | 1 | 2 | 1 | | | | | | | | | | | |
| P08 | Agility / Flexibility | Minutes | 20 | | 20 | | | | | | | | | | | | | | | | | | | | | | | 20 | | 20 | |
| P09c | Number of Passes | Count | 1 | 2 | 1 | | | | | | | | | | | | | | | | | | | | | | | 1 | 2 | 1 | 2 |
| P09h | Load Deliverable in a Single Pass | % | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | | | | | | | | | | | |
| P10 | Survivability of the Load | Confidence | 90 | | 90 | | 90 | | 93 | | 95 | | 90 | | 95 | | 90 | | 97 | | | | | | | | | | | | |
| P11 | Bundle-Awareness Capability | Scale: 1-5 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | | | | | | | |
| P13 | Mass Capability (Max) | lb | 2200 | 2200 | 10000 | 15000 | 10000 | 15000 | 10000 | 15000 | 10000 | 15000 | 10000 | 15000 | 10000 | 15000 | 10000 | 15000 | 2200 | 2200 | | | | | | | | | | | |



Presentation Outline



- ☐ Entrance Criteria for PAD
- ☐ Integrated Product Team (IPT)
- ☐ S&T SE Process Steps
- ☐ Initial Project S&T Development Strategy
- ☐ User Understanding of Desirements
- ☐ Products from S&T SE Process
- ☐ Categories of Candidate Technology Options
- ☐ Techniques to Score Solution Options
-  ☐ Methods to Combine Options into Alternatives
- ☐ Methods to Score Alternatives
- ☐ Findings from Application of S&T SE Process
- ☐ Critical Roles Played by S&T SE in Pre Milestone A



Combining Options into Alternatives




- ☐ **Generated Alternatives as All Combinations of Options in Accordance with Rules Established:**
 - **Every Alternative Had at Least One Option from Each Type**
 - **No More than Two Weather Options Were Allowed**



Presentation Outline



- ☐ Entrance Criteria for PAD
- ☐ Integrated Product Team (IPT)
- ☐ S&T SE Process Steps
- ☐ Initial Project S&T Development Strategy
- ☐ User Understanding of Desirements
- ☐ Products from S&T SE Process
- ☐ Categories of Candidate Technology Options
- ☐ Techniques to Score Solution Options
- ☐ Methods to Combine Options into Alternatives
-  ☐ **Methods to Score Alternatives**
- ☐ Findings from Application of S&T SE Process
- ☐ Critical Roles Played by S&T SE in Pre Milestone A




Scoring Alternatives

- ☐ **Scored Each Alternative against Desirements Using Worst, Best, or Multiplicative Rules Applied to Scores of Options Present**
- ☐ **Analyzed Customer Desirability of 19,530 Alternatives thus Generated**
- ☐ **Inspected Top 5,000 Alternatives (Type of Pareto Analysis)**
- ☐ **Generated Scorecards for Customer Desirability and Risk for Top 12 Alternatives**
- ☐ **Identified Alternatives that Offer Greatest Chances for PAD Improvements**



Presentation Outline



- ☐ Entrance Criteria for PAD
- ☐ Integrated Product Team (IPT)
- ☐ S&T SE Process Steps
- ☐ Initial Project S&T Development Strategy
- ☐ User Understanding of Desirements
- ☐ Products from S&T SE Process
- ☐ Categories of Candidate Technology Options
- ☐ Techniques to Score Solution Options
- ☐ Methods to Combine Options into Alternatives
- ☐ Methods to Score Alternatives
-  ☐ Findings from Application of S&T SE Process
- ☐ Critical Roles Played by S&T SE in Pre Milestone A




Findings

- ☐ **No Single Option Solved the Entire Problem**
 - **Hence the Need to Evaluate Alternative System Solutions**
- ☐ **No 0–3-yr Option Addressed**
 - **P14, Minimum Mass Delivery Capability**
 - **HF5, Rigging Workload**
 - **HF6, Rigging Training Required**
- ☐ **Doing Less Is Superior for Human Factors Desirability**
 - **Can Only Hurt Security**
- ☐ **Risk Analysis Is Suspect Because of Scoring Concerns**



Options in Best Alternatives




**Frequency of Occurrence of 0–3-yr
Options in Top 5,000 Alternatives
for $D_{\text{Performance}}$ or D_{Overall}**

| Option | Type | Perf | Overall |
|------------|------|-------|---------|
| HALO | 1 | 91.6% | 82.1% |
| Snipe | 2 | 72.2% | 33.2% |
| HSCDS | 1 | 67.1% | 71.9% |
| ASACMS | 2 | 66.7% | 70.7% |
| CommNow | 2 | 66.6% | 56.6% |
| AELVIS | 2 | 65.8% | 51.4% |
| I-Dun | 1 | 59.0% | 59.5% |
| I-Release | 1 | 57.5% | 57.5% |
| I-Skid | 1 | 55.1% | 51.1% |
| Wedge | 2 | 50.0% | 50.1% |
| MAF-ADTgt | 2 | 49.9% | 46.2% |
| UAV-Wx | 3 | 43.1% | 39.1% |
| LIDAR-ABW | 3 | 43.0% | 38.7% |
| EnsembleFC | 3 | 39.8% | 48.4% |
| Radar-Wx | 3 | 39.2% | 34.0% |




Cost Sensitivity?

❑ Contribution to “Goodness” When More Options Are Allowed within an Alternative



❑ Contribution When Only 3 or 4 Are Permitted





Way Forward (as of 29 Sep 11)




- ☐ **Completed Assessment of Alternatives Scorecard**
 - **Identified Alternatives Offering Greatest Chances for Improvement to PAD**
 - **Briefed Results to the AFRL/AMC Team, Initiating the IPT Planning Phase (Exit/Comm/Weather/Human Focus)**
- ☐ **Alternative IPTs Refine Alternatives and Define Tech Path Forward (28 Jan)**
- ☐ **Interim Review with AFRL/CC (28 Feb)**
- ☐ **Integrated Baseline Review Completed (27 Sep)**
- ☐ **IPT for Each Focus Area is in Place to Commence Execution of FY12-16 Plan**



Presentation Outline



- ☐ Entrance Criteria for PAD
- ☐ Integrated Product Team (IPT)
- ☐ S&T SE Process Steps
- ☐ Initial Project S&T Development Strategy
- ☐ User Understanding of Desirements
- ☐ Products from S&T SE Process
- ☐ Categories of Candidate Technology Options
- ☐ Techniques to Score Solution Options
- ☐ Methods to Combine Options into Alternatives
- ☐ Methods to Score Alternatives
- ☐ Findings from Application of S&T SE Process
-  ☐ Critical Roles Played by S&T SE in Pre Milestone A



Summary



- ☐ **The Systems Engineering (SE) Approach is an “*Eye-Opening*” Experience...Making Us Think Outside What We Already Knew**
- ☐ **A Cross-AF/Service/TD Team was Formed**
 - **Met \geq Weekly to Capture/Refine Desirements and Generate/Evaluate Solutions**
- ☐ **The AFRL-Employed S&T SE Process is Generating New Thinking to Solve a Critical AF Need**



Observations by Leaders



- ❑ **AMC, by Col Peet, AMC/A8X, in a Message to Dr. Erbschloe, AMC/ST:**

"...we think all this work is great, and will inform future efforts also. So, definitely keep this scoring methodology. We do find great value in it."

- ❑ **AFRL, by PAD Project Lead:**

- **The Process Broadened Scope of Analysis to Include**
 - **Traditionally Army-Owned Pieces of the Problem**
 - **Very Near-Term Technology Options**
- **A Detailed FBS of the Airdrop Problem Revealed Issues that Would Have Been Overlooked had a SE-Based Approach not been Employed.**



Contact Information

Carol Ventresca

Phone 740 369-9579

Cell Phone 614 668-8300

SynGenics Corporation

carol@syngenics.com